



2018 New LED Commercial Lighting Catalogue

1/2/3 Heads LED Grille Downlight



1: Model No.: DD004-1/2/3

Features: Anti-glare, UGR<19, Lens or Reflectors

Model No.	Power	Lumen(lm)	Driver Brand	LED Brand	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
DD004-1-A	1*10W	1*850lm	Philips Tridonic V.S. Driver	CREE	2700K	24°	>0.90	Ra>90	L125*W125	L105*W105
DD004-1-B	1*15W	1*1300lm		Citizen	3000K				L145*W145	L125*W125
DD004-1-C	1*20W	1*1700lm		Limiled	3500K				L165*W165	L145*W145
DD004-2-A	2*10W	2*850lm		4000K	L220*W125				L200*W105	
DD004-2-B	2*15W	2*1300lm		5000K	L275*W145				L255*W125	
DD004-2-C	2*20W	2*1700lm		L310*W165	L290*W145					
DD004-3-A	3*10W	3*850lm		L320*W125	L300*W105					
DD004-3-B	3*15W	3*1300lm		L395*W145	L375*W125					
DD004-3-C	3*20W	3*1700lm		L425*W165	L405*W145					



1/2 Heads Surface Mounted Downlight



2: Model No. SMDL004

Features: Finish Color White/Black Available, Lens or Reflector

Model No.	Power	Lumen(lm)	Driver Brand	LED Brand	CCT(K)	Beam Angle	CRI	Size(mm)	Height(mm)
SMDL004-1-A	1*10W	1*850lm	Philips Tridonic V.S . Driver	CREE Citizen Limiled	2700K 3000K 3500K 4000K 5000K	15° 24° 30°	RA>90	L100*W100	H100
SMDL004-1-B	1*15W	1*1300lm						L115*W115	H140
SMDL004-1-C	1*20W	1*1700lm						L130*W130	H160
SMDL004-1-D	1*30W	1*2600lm						L150*W150	H180
SMDL004-2-A	2*10W	2*850lm						L200*W100	H100
SMDL004-2-B	2*15W	2*1300lm						L230*W115	H140
SMDL004-2-C	2*20W	2*1700lm						L260*W130	H160
SMDL004-2-D	2*30W	2*2600lm						L300*W150	H180



Trimless 1/2 Heads Surface Mounted Downlights



3. **Model No.:** SMDL005

Features: Finish Color: Black or White Available

Model No.	Power	Lumen(lm)	Driver Brand	LED Brand	CCT(K)	Beam Angle	CRI	Size(mm)	Height(mm)
SMDL005-1-A	1*10W	1*850lm	Philips Tridonic V.S . Driver	CREE Citizen Limiled	2700K 3000K 3500K 4000K 5000K	24° 38°	RA>90	L100*W100	H140
SMDL005-1-B	1*15W	1*1300lm						L120*W120	H160
SMDL005-1-C	1*20W	1*1700lm						L160*W160	H180
SMDL005-1-D	1*30W	1*2600lm						L160*W160	H180
SMDL005-2-A	2*10W	2*850lm						L200*W100	H140
SMDL005-2-B	2*15W	2*1300lm						L235*W120	H160
SMDL005-2-C	2*20W	2*1700lm						L325*W160	H180
SMDL005-2-D	2*30W	2*2600lm						L325*W160	H180



New Trimless 1/2 Heads LED Grille Downlight




4. Model No.: SMDL006

Features: No need to make holes, no need to fix, easy to install

Model No.	Power	Lumen(lm)	Driver Brand	LED Brand	CCT(K)	Beam Angle	CRI	Size(mm)	Height(mm)
SMDL006-1-A	1*10W	1*850lm	Philips Tridonic V.S . Driver	CREE Citizen Limiled	2700K 3000K 3500K 4000K 5000K	24° 38°	RA>90	L77*W77	H140
SMDL006-1-B	1*12W	1*1000lm						L97*W97	H140
SMDL006-1-C	1*15W	1*1300lm						L117*W117	H140
SMDL006-1-D	1*20W	1*1700lm						L147*W147	H160
SMDL006-1-E	1*25W	1*2200lm						L147*W147	H160
SMDL006-2-A	2*10W	2*850lm						L160*W77	H140
SMDL006-2-B	2*12W	2*1000lm						L197*W97	H140
SMDL006-2-C	2*15W	2*1300lm						L240*W117	H140
SMDL006-2-D	2*20W	2*1700lm						L297*W147	H160
SMDL006-2-E	2*25W	2*2200lm						L297*W147	H160



New Trimless 1/2/3 Heads LED Grille Downlight




5. Model No. SMDL007

Features: Trimless Recessed LED Grille Downlight, Angi-glare

Model No.	Power	Lumen(lm)	Driver Brand	LED Brand	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
DD007-1-A	1*10W	1*850lm	Philips	CREE	2700K	24°	>0.90	Ra>90	L95*W95*H100	L97*W97
DD007-1-B	1*15W	1*1300lm	Tridonic	Citizen	3000K		L115*W115*H120		L118*W118	
DD007-2-A	2*10W	2*850lm	V.S . Driver	Limited	3500K		L195*W95*H100		L197*W97	
DD007-2-B	2*15W	2*1300lm			4000K		L245*W115*H120		L255*W125	
DD007-3-A	3*10W	3*850lm			5000K		L275*W95*H100		L277*W97	
DD007-3-B	3*15W	3*1300lm					L325*W115*H120		L335*W125	

Adjustable Surface Mounted Downlight





6: Model No. ASMDL003-A

Product Name: Adjustable Surface Mounted LED Downlight

Finish Color: White/Black

Notes: It can be made as led track light, and 90° adjustable

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	CRI	Size(mm)	Height(mm)
ASMDL003-A	10W	900lm	Philips Driver	CREE COB	2700K	10°	RA>90	D90	H110
ASMDL003-B	20W	1800lm			3000K	20°		D110	H120
					3500K	30°			
					4000K				
					5000K				



Adjustable LED Downlights



7: Model No. ATD003

Product Name: Adjustable LED Downlight

Finish Color: White/Black

Notes: the led cover can be lens or clear glass cover

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
ATD003-3F	10W	1000lm	Philips Driver	CREE COB	2700K	24°	>0.90	Ra>90	φ90	φ75
ATD003-4F	20W	2000lm			3000K				φ108	φ95
ATD003-5F	30W	3000lm			3500K				φ138	φ120
ATD003-6F	40W	4000lm			4000K				φ160	φ140
ATD003-8F	50W	5000lm			5000K				φ180	φ160



Rotatable and Adjustable Downlights



8: Model No. DD003-1/2/3

Product Name: Multiple Heads LED Downlight

Finish Color: White /Full Black

Notes: The lamp can be 30° adjustable and 340° rotatable

Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
DD003-1-A	1*10W	1000lm	Philips Driver	CREE	2700K	24°	>0.90	Ra>90	L112*W112	L90*W90
DD003-1-B	1*20W	2000lm		CITIZEN	3000K				L138*W138	L120*W120
DD003-1-C	1*30W	3000lm		COB	3500K				L175*W175	L155*W155
DD003-2-A	2*10W	2*1000lm		5000K	L210*W112				L190*W90	



Model No.	Power	Lumen(lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
DD003-2-B	2*20W	2*2000lm	Philips Driver	CREE	2700K	24°	>0.90	Ra>90	L250*W138	L230*W120
DD003-2-C	2*30W	2*3000lm			3000K				L325*W175	L300*W155
DD003-3-A	3*10W	3*1000lm			3500K				L282*W112	L260*W90
DD003-3-B	3*20W	3*2000lm			4000K				L363*W138	L345*W120
DD003-3-C	3*30W	3*3000lm			5000K				L472*W175	L450*W155