



WeiYe Optoelectronic Technology Co., Ltd.

<https://www.lhwyled.com> <https://lhwyled.en.alibaba.com>

sales@lhwyled.com / Whatsapp +86 13480740318 / Wechat: sales_lhwyled

WEIYE OPTOELECTRONIC TECHNOLOGY CO., LIMITED

Light Up the Green World



Dear Clients, WeiYe Optoelectronic Technology Co., Ltd was set up in 2013. It is a hi-tech enterprise combining technical research, development, manufacture and marketing. It specializes in researching and manufacturing LED residential and commercial lighting, ranging from:

LED Downlight, LED Spotlight, MR16 GU10 Modules and its Frames, Trimless/Frameless, Surface Mounted/Pendant etc. , and we also offer the LED Lights Empty Housing SKD, such as Heat Sink, Male Female Connector, Lens, GU10/MR16 holder, LED Chip, LED Driver etc, who is not only a production factory but also an excellent led lighting solution supplier. Especially, we've been making effort to be the most professional and best led commercial lights manufacturer in China.

WeiYe Optoelectronic Technology Co., Ltd brand is LHWYLED, it promotes spirits of team work and intellectual human resource, boldly applies advanced materials, innovative technologies and new processes. It owns 15 R&D engineers and a great number of skilled operators, Strict ISO9001 Quality and ISO14001 Environment Management System. With the increasing development, WeiYe LED intends to be an International famous enterprise on the LED Lighting field.

We are always here to provide you a solution that improves your business. So please review the WeiYe LED products and contact us. Let's do business together.

Q. Why Choose WeiYe LED ?

01. NO MOQ;
02. Fast delivery, 1-3 days after being confirmed;
03. Your inquiry related to our led lighting lamps will be replied in 5-10 minutes;
04. Accept small order and mixed order, free sample 1-2pcs;
05. High Quality for warranty 3/5 years;
06. Various lamps led with very competitive price;
07. Every step will be followed by video or photos through mail or online chat / video;
08. Customized package/logo/laser available;
09. OEM & ODM welcome, any your customized lightings we can help you until you are satisfied;
10. Protection of your sales area, customized mold and all the private information;
11. Payment ways: TT, PayPal, Alibaba, RMB Cash all ok;



WeiYe Optoelectronic Technology Co., Ltd.

<https://www.lhwyled.com> <https://lhwyled.en.alibaba.com>


sales@lhwyled.com / Whatsapp +86 13480740318 / Wechat: sales_lhwyled



3000K

4000K

6000K





WeiYe Optoelectronic Technology Co., Ltd.

<https://www.lhwyled.com> <https://lhwyled.en.alibaba.com>

sales@lhwyled.com / Whatsapp +86 13480740318 / Wechat: sales_lhwyled

中山市伟川科技有限公司

New Factory Address: 3rd Floor, No. 11, Guang Feng South Road, LieXiYi Village,
Xiaolan Town, ZhongShan City, China. 528415

Email: sales@lhwyled.com	Wechat: sales_lhwyled
Website 1: https://www.lhwyled.com	Website 2: https://lhwyled.en.alibaba.com

2025 New Catalogue with 48 Pages

1. Page 4 - Page 7 Private Design GU10 MR16 LED Module D50mm
2. Page 8 - Page 24 New Design LED Spotlights Deep Antiglare
3. Page 25 - Page 42 Spotlight Different Shapes
4. Page 43 - Page 44 IP65 LED Downlights/Surface Mounted Lamps
5. Page 45 to Page 46 High Power LED 10W to 80W
6. Page 47 Anti glare LED Spotlights Fixed or Adjustable
7. Page 48 1/2/3 Heads Downlights
8. There is another catalogue for MR16 GU10 Holder



WeiYe Optoelectronic Technology Co., Ltd.

<https://www.lhwyled.com> <https://lhwyled.en.alibaba.com>

sales@lhwyled.com / Whatsapp +86 13480740318 / Wechat: sales_lhwyled

NEW Design Module+Different Frames





WeiYe Optoelectronic Technology Co., Ltd.

<https://www.lhwyled.com> <https://lhwyled.en.alibaba.com>

sales@lhwyled.com / Whatsapp +86 13480740318 / Wechat: sales_lhwyled






WeiYe Optoelectronic Technology Co., Ltd.



<https://www.lhwyled.com> <https://lhwyled.en.alibaba.com>

sales@lhwyled.com / Whatsapp +86 13480740318 / Wechat: sales_lhwyled

Clip construction easy installation



LED Module Replace MR16 GU10 Bulb



10W



15W



20W





WeiYe Optoelectronic Technology Co., Ltd.

<https://www.lhwyled.com> <https://lhwyled.en.alibaba.com>

sales@lhwyled.com / Whatsapp +86 13480740318 / Wechat: sales_lhwyled

1. Model No.: WY-M1 & WY-M2;

Material: Cold Forging Aluminum Good Heat Dissipation;

Notes/Reminds: This engine/module D50mm is to replace MR16 GU10 Bulb;

Certificates: CE EMC LVD Approval and IES, LDT, GOS Files Available

MR16 GU10 Retrofit Downlight Features

- 01. Power Optional: 5W 6W 7W 8W 10W 12W 15W 18W 20W;
- 02. Optical Lens/Reflector Angle: 10/15/24/38/60 Degree;
- 03. Honeycomb/Glass Cover Available too;
- 04. To Replace the GU10/MR16/GU5.3 Bulb;
- 05. Longer Lifespan: 50000hrs;
- 06. Warranty: 5 Years;
- 07. CRI: RA90 or RA97;
- 08. Higher Brightness/Luminious: 110-125lm/w;
- 09. Lower Power Consumption;
- 10. Reduce Greenhouse Gas Emissions;
- 11. Dimmable Options: Triac / 0/1-10V /Phase Dim/ DALI DIM/CCT Tunable/Zigbee Tuya Smart

Model No.	Power	Lamp Lumen(lm)	Driver Brand	LED Style	CCT(K)	Reflector/Lens Beam Angle	CRI	Module Size(mm)
JH-C12-5W	5W	400lm	Lifud Eaglerise LTECH Tridonic Philips Osram EUCHIPS AIDIMMING Sunricher	CREE	2700K	10°	RA>90	D50*H43
WY-M2-7W	7W	600lm		Bridgelux	3000K	15°	RA>95	D50*H51
WY-M2-10W	10W	850lm		CITIZEN	3500K	24°		D50*H77
WY-M2-12W	12W	1050lm		Osram	4000K	38°		D50*H88
WY-M1-10W	10W	850lm		Philips	5000K	50°		D50*H62
WY-M1-15W	15W	1350lm		Honourtek	5700K	60°		D50*H81
WY-M1-20W	20W	1750lm			6000K			D50*H88
					6500K			

We have another catalogue for frames seperately, fit to LED Module & MR16 & GU10 Bulbs



WeiYe Optoelectronic Technology Co., Ltd.

<https://www.lhwyled.com> <https://lhwyled.en.alibaba.com>

sales@lhwyled.com / Whatsapp +86 13480740318 / Wechat: sales_lhwyled

New Design

Slim Trim Recessed Spotlight Easy to Install

Pure Aluminum High Quality, Arc Face, Paint is Comfortable Texture

Adjustable and Fixed, Full Black Available





WeiYe Optoelectronic Technology Co., Ltd.

<https://www.lhwyled.com> <https://lhwyled.en.alibaba.com>

sales@lhwyled.com / Whatsapp +86 13480740318 / Wechat: sales_lhwyled



Parameters

Model No.	Power	Lamp Lumen (lm)	Driver Brand	LED Chip Brand	CCT(K)	Lens Beam Angle	CRI	Size(mm)	Cutout (mm)
XKS-55-7W	7W	600lm	Lifud Eaglerise LTECH Tridonic Philips Osram EUCHIPS AIDIMMING Sunricher	CREE Bridgelux CITIZEN Osram Philips Honourtek	2700K	15°	RA>90 RA>97	D61*H79	D55mm
XKS-55-10W	10W	850lm			3000K	24°		D61*H90	D55mm
XKS-75-10W	10W	850lm			3500K	36°		D81*H79	D75mm
XKS-75-12W	12W	1050lm			4000K	50°		D81*H93	D75mm
XKD-55-7W	7W	550lm			5000K			D61*H55	D55mm
XKD-55-10W	10W	850lm			5700K			D61*H55	D55mm
XKD-75-10W	10W	850lm			6000K			D81*H62	D75mm
XKD-75-15W	15W	1350lm			6500K			D81*H62	D75mm



WeiYe Optoelectronic Technology Co., Ltd.

<https://www.lhwyled.com> <https://lhwyled.en.alibaba.com>

sales@lhwyled.com / Whatsapp +86 13480740318 / Wechat: sales_lhwyled

New Design High End Quality Mini Spotlight Privite Design





WeiYe Optoelectronic Technology Co., Ltd.

<https://www.lhwyled.com> <https://lhwyled.en.alibaba.com>

sales@lhwyled.com / Whatsapp +86 13480740318 / Wechat: sales_lhwyled

Features: RIMIO Optic

New Design: Angtigliare UGR 17

Finish Color: White Heat Sink with 7060 Cold Forging Aluminum Good Head Dissipation

Reflector: White, Black, Chrome, Black Chrome with Arc Face

Mini Size: Cutout: 25mm/35mm/45mm/55mm/65mm/75mm

Dimmable Options: Triac / 0-10V / Phase Dim/ DALI 2 DIM/CCT Tunable/Zigbee Smart/Push DIM;

Parameters:

Model No.	Power	Lamp Lumen (lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Input Voltage (VAC)	CRI	Lamp Size (mm)	Cutout (mm)
XTQ-253-25	3W	210lm	Lifud	CREE	2700K	10°	220-240	Ra>90	φ31*H60	φ25
XTQ-253-25	5W	350lm	Eaglerise	Bridgelux	3000K	12°		Ra>95	φ31*H80	φ25
			LTECH	CITIZEN	3500K	15°			φ42*H65	φ35
XTQ-253-35	4W	280lm	Tridonic	Osram	4000K	24°			φ42*H85	φ35
			Philips	Philips	5000K	36°			φ53*H70	φ45
XTQ-253-35	6W	420lm	Osram	Honourtek	5700K	50°			φ53*H90	φ45
			EUCHIPS		6500K				φ64*H75	φ55
XTQ-253-45	7W	550lm	AIDIMMING						φ64*H95	φ55
			Sunricher						φ75*H78	φ65
XTQ-253-45	9W	720lm							φ75*H98	φ65
XTQ-253-55	10W	750lm							φ86*H80	φ75
XTQ-253-55	12W	840lm							φ86*H100	φ75
XTQ-253-65	12W	840lm								
XTQ-253-65	15W	1100lm								
XTQ-253-65	15W	1100lm								
XTQ-253-75	15W	1100lm								
XTQ-253-75	20W	1450lm								



WeiYe Optoelectronic Technology Co., Ltd.

<https://www.lhwyled.com> <https://lhwyled.en.alibaba.com>

sales@lhwyled.com / Whatsapp +86 13480740318 / Wechat: sales_lhwyled

New Design High End Quality IP65 Waterproof LED Spotlight Adjustable





WeiYe Optoelectronic Technology Co., Ltd.

<https://www.lhwyled.com> <https://lhwyled.en.alibaba.com>

sales@lhwyled.com / Whatsapp +86 13480740318 / Wechat: sales_lhwyled



Features: Mechanical Design

1. New Design: Angt glare UGR <16, Honeycomb available, Trimless available;
2. Finish Color: White Heat Sink with 7060 Cold Forging Aluminum Good Head Dissipation
3. Reflector: Matt White, Matt Black, Chrome, Black Chrome with Narrow Trim/Wide Trim
4. Mini Size: Cutout: 55mm/65mm/75mm
5. Specific Beam Angle Number on the lamp body, 355° rotatable
6. Dimmable Options: Triac / 0-10V / Phase Dim / DALI 2 DIM / CCT Tunable / Zigbee Smart / Push DIM;

Parameters:

Model No.	Power	Lamp Lumen (lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Input Voltage (VAC)	CRI	Lamp Size (mm)	Cutout (mm)
OU-NZ2-55	7W	560lm	Lifud	CREE	2700K	15°	220-240	Ra>90 Ra>95	φ63*H87	φ55
			Eaglerise	Bridgelux	3000K	24°			φ70*H87	
			LTECH	CITIZEN	3500K	36°				
			Tridonic	Osram	4000K	50°				
OU-NZ2-75	12W	350lm	Philips	Philips	5000K				φ82*H93 φ90*H93	φ75
			Osram	Honourtek	5700K					
			EUCHIPS		6500K					
OU-NZ2-95	20W	280lm	AIDIMMING						φ105*H122 φ113*H122	φ95
			Sunricher							



WeiYe Optoelectronic Technology Co., Ltd.

<https://www.lhwyled.com> <https://lhwyled.en.alibaba.com>

sales@lhwyled.com / Whatsapp +86 13480740318 / Wechat: sales_lhwyled

New Design High End One Body with Optional Outer Trim Comfortable Handful Finish Texture





WeiYe Optoelectronic Technology Co., Ltd.

<https://www.lhwyled.com> <https://lhwyled.en.alibaba.com>

sales@lhwyled.com / Whatsapp +86 13480740318 / Wechat: sales_lhwyled


Outer Trim Can be Middle Small Round/Oval



3000K

4000K

6000K





WeiYe Optoelectronic Technology Co., Ltd.

<https://www.lhwyled.com> <https://lhwyled.en.alibaba.com>

sales@lhwyled.com / Whatsapp +86 13480740318 / Wechat: sales_lhwyled

Mirror Beauty Lamp






WeiYe Optoelectronic Technology Co., Ltd.

<https://www.lhwyled.com> <https://lhwyled.en.alibaba.com>

sales@lhwyled.com / Whatsapp +86 13480740318 / Wechat: sales_lhwyled

Mini Hole Outer Trim






WeiYe Optoelectronic Technology Co., Ltd.

<https://www.lhwyled.com> <https://lhwyled.en.alibaba.com>

sales@lhwyled.com / Whatsapp +86 13480740318 / Wechat: sales_lhwyled

Narrow Sunbeam Angle: 3/6/10/20°

Arc Face & Flat Face Optional





WeiYe Optoelectronic Technology Co., Ltd.

<https://www.lhwyled.com> <https://lhwyled.en.alibaba.com>

sales@lhwyled.com / Whatsapp +86 13480740318 / Wechat: sales_lhwyled

Square /Double Heads Available





WeiYe Optoelectronic Technology Co., Ltd.

<https://www.lhwyled.com> <https://lhwyled.en.alibaba.com>

sales@lhwyled.com / Whatsapp +86 13480740318 / Wechat: sales_lhwyled



Features:

1. New Design; Angtigliare UGR<13
2. Reflector Colors: Matt White/Matt Black/Chrome/Black Chrome
3. 6063 Precised Aluminum Heat Sink Good for Heat Dissipation
4. Dimmable Options: Triac / 0-10V / Phase Dim/ DALI 2 DIM/CCT Tunable/Zigbee Smart/Push DIM;

Parameters:

Model No.	Power	Lamp Lumen (lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Input Voltage (VAC)	CRI	Lamp Size (mm)	Cutout (mm)
HM-1-R-55	8W	595lm	Lifud	CREE	2700K	15°	220-240	Ra>90 Ra>95	φ62*H60	φ55
HM-1-R-75	12W	855lm	Eaglerise	Bridgelux	3000K	24°			φ82*H71	φ75
HM-1-R-95	24W	1950lm	LTECH	CITIZEN	3500K	36°			φ105*H85	90-95
HM-1-R-125	40W	3455lm	Tridonic	Osram	4000K	50°			φ140*H110	125
HM-1-S-75	10W	830lm	Philips	Philips	5000K	3°			88*88*H79	75*75
HM-1-S2-75	2*10W	2*830 lm	Osram		5700K	6°			168*88*H 79	155*75
HM-1-S3-75	3*10W	3*830 lm	EUCHIPS		6500K	10°			247*88*H 79	235*75
			Sunricher			20°				



WeiYe Optoelectronic Technology Co., Ltd.

<https://www.lhwyled.com> <https://lhwyled.en.alibaba.com>

sales@lhwyled.com / Whatsapp +86 13480740318 / Wechat: sales_lhwyled

New Design

High Quality High Efficiency

Wall Washer Deep Antiglare Adjustable Spotlight 7W - 30W

Round & Square & Double Heads & Trimless

Outer Trim Can with Round/Oval Hole

Cutout: 35mm/45mm/55mm/75mm/95mm





WeiYe Optoelectronic Technology Co., Ltd.

<https://www.lhwyled.com> <https://lhwyled.en.alibaba.com>

sales@lhwyled.com / Whatsapp +86 13480740318 / Wechat: sales_lhwyled





1. Model No. JK Series

Certificates: CE EMC LVD Approval**A: Wall Washer LED Spotlight;****B: Deep Antiglare;****C: UGR<16 With Optical Shinland Lens;****D: Lens Angle: 15/24/36/50° ;****E: New Aluminum Heat Sink, Beautiful finish and high quality paint;****F: Same Cutout Different Power Options, Cutout: 95mm max 30W;**

Deep Antiglare Reflector Color: Matt White/Black,UV Chrome/Black Chrome;

Material: Die-cast Aluminum+ Baffles + Shinland Optic Lens;**Dimmable Options:** Triac / 0-10V /Phase Dim/ DALI DIM/CCT Tunable/Zigbee Smart;

Model No.	Power	Lamp Lumen (lm)	Driver Brand	LED Style	CCT (K)	Beam Angle	Input Voltage (VAC)	CRI	Lamp Size (mm)	Cutout(mm)
JK-35Y	7W	550lm	Lifud	CREE	2700K	15°	220-240	Ra>90	φ40*H76.5	φ35
JK-45Y	10W	850lm	Eaglerise	Bridgelux	3000K	24°		Ra>95	φ50*H88.5	φ45
JK-55Y	12W	1050lm	LTECH	CITIZEN	3500K	38°			φ62*H106.5	φ55
JK-55YT	12W	1050lm	Tridonic	Osram	4000K	55°			φ70*H106.5	φ55
JK-55F	12W	1050lm	Philips	Philips	5000K				62*62*H106.5	55*55
JK-55FT	12W	1050lm	Osram	Honourtek	5700K				70*70*H106.5	55*55
JK-55-2F	2*12W	2*1050lm	EUCHIPS		6500K				115.5*62*106.5	110*55
JK-55-2FT	2*12W	2*1050lm	AIDIMMING						164.5*52*106.5	160*52
JK-75Y	12W	1050lm	Sunricher						φ82*H88.2	φ75
JK-75YT	12W	1050lm							φ95*H87.5	φ75
JK-75F	12W	1050lm							82*82*87.5	75*75
JK-75FT	12W	1050lm							98*98*87.5	75*75
JK-75-2F	2*12W	2*1050lm							158*86*87.5	150*75
JK-75-2FT	2*12W	2*1050lm							204.5*72*87.5	∅ 150*72
JK-95Y	30W	2550lm							φ105*H146	φ95
JK-95YT	30W	2550lm							φ120*H146	φ95
JK-95F	30W	2550lm							102.5*102.5*146	95*95
JK-95FT	30W	2550lm							120*120*146	95*95
JK-95-2F	2*30W	2*2550lm							197.5*106.5*146	190*95
JK-95-2FT	2*30W	2*2550lm							241.5*90.5*146	190*90.5



WeiYe Optoelectronic Technology Co., Ltd.

<https://www.lhwyled.com> <https://lhwyled.en.alibaba.com>

sales@lhwyled.com / Whatsapp +86 13480740318 / Wechat: sales_lhwyled





WeiYe Optoelectronic Technology Co., Ltd.

<https://www.lhwyled.com> <https://lhwyled.en.alibaba.com>

sales@lhwyled.com / Whatsapp +86 13480740318 / Wechat: sales_lhwyled

New Design High Class Anti-glare LED Spotlight Fixed Type & Arc Face 10W Doing Promotion with 50% Discount White/Black Outer Trim



Features:

Special Heat Sink; Angt glare UGR<19

Dimmable Options: Triac / 0-10V / Phase Dim/ DALI 2 DIM/CCT Tunable/Zigbee Smart/Push DIM;

Parameters:

Model No.	Power	Lamp Lumen (lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Input Voltage (VAC)	CRI	Lamp Size (mm)	Cutout (mm)
OG-TH-251-7W	7W	595lm	Lifud Eaglerise LTECH Tridonic Philips Osram EUCHIPS AIDIMMING Sunricher	CREE Bridgelux CITIZEN Osram Philips Honourtek	2700K 3000K 3500K 4000K 5000K 5700K 6500K	24° 36° 55°	220-240	Ra>90 Ra>95	φ61*H55	φ55
OG-TH-251-9W	9W	765lm							φ71.5*H58	φ65
OG-TH-251-10W	10W	850lm							φ82.5*H64	φ75
OG-TH-251-13W	13W	1105lm							φ82.5*H64	φ75
OG-TH-251-18W	18W	1530lm							φ93*H72	φ85
OG-TH-251-20W	20W	1750lm							φ104*H79	φ95



WeiYe Optoelectronic Technology Co., Ltd.

<https://www.lhwyled.com> <https://lhwyled.en.alibaba.com>

sales@lhwyled.com / Whatsapp +86 13480740318 / Wechat: sales_lhwyled

New Design Mirror Chrome Color

LED Spotlight Tilttable

High Quality



Parameters

Model No.	Power	Lamp Lumen (lm)	Driver Brand	LED Style	CCT (K)	Beam Angle	Input Voltage (VAC)	CRI	Lamp Size (mm)	Cutout (mm)
ZM-1-55-7W	7W	595lm	Lifud	CREE	2700K	15°	220-240	Ra>90 Ra>97	D62*H65	<u>D55</u>
			Eaglerise	Bridgelux	3000K	24°				
			LTECH	CITIZEN	3500K	36°				
			Tridonic	Osram	4000K	50°				
			Philips	Philips	5000K					
ZM-1-75-10W	10W	850lm	Osram	Honourtek	5700K				D82*H80	<u>D75</u>
			EUCHIPS		6000K					
			AIDIMMING		6500K					
			Sunricher							



WeiYe Optoelectronic Technology Co., Ltd.

<https://www.lhwyled.com> <https://lhwyled.en.alibaba.com>

sales@lhwyled.com / Whatsapp +86 13480740318 / Wechat: sales_lhwyled

New Design High Quality

Arc Face

Optical Lens 360° Rotatable & Lens Tilttable



Parameters

Model No.	Power	Lamp Lumen (lm)	Driver Brand	LED Style	CCT (K)	Beam Angle	Input Voltage (VAC)	CRI	Lamp Size (mm)	Cutout (mm)
ZM-2-75-10W	10W	850lm	Lifud Eaglerise LTECH Tridonic	CREE Bridgelux CITIZEN Osram	2700K to 6500K	15° 24° 36° 50°	220-240	Ra>90 Ra>97	D82*H85	<u>D75</u>



WeiYe Optoelectronic Technology Co., Ltd.

<https://www.lhwyled.com> <https://lhwyled.en.alibaba.com>

sales@lhwyled.com / Whatsapp +86 13480740318 / Wechat: sales_lhwyled

New Design High Quality Porarized Fixed Spotlight Narrow Trim



Parameters

Model No.	Power	Lamp Lumen (lm)	Driver Brand	LED Style	CCT (K)	LED Chip Light Space	Input Voltage (VAC)	CRI	Lamp Size (mm)	Cutout (mm)
OG-TH-262-12W	12W	1050lm	Lifud Eaglerise LTECH Tridonic Philips Osram EUCHIPS AIDIMMING Sunricher	Bridgelux CREE Citizen	2700K to 6500K	6mm	220-240	Ra>90 Ra>97	D80*H90	<u>D75</u>
OG-TH-262-20W	20W	1750lm							D106*H114	<u>D95</u>



WeiYe Optoelectronic Technology Co., Ltd.

<https://www.lhwyled.com> <https://lhwyled.en.alibaba.com>

sales@lhwyled.com / Whatsapp +86 13480740318 / Wechat: sales_lhwyled

High Quality Wall Washer

White/Black Trim LED Spotlight Titable

Trimless & Waterproof IP44 & IP65



IP65





WeiYe Optoelectronic Technology Co., Ltd.

<https://www.lhwyled.com> <https://lhwyled.en.alibaba.com>

sales@lhwyled.com / Whatsapp +86 13480740318 / Wechat: sales_lhwyled



Parameters

Model No.	Power	Lamp Lumen (lm)	Driver Brand	LED Style	CCT (K)	Beam Angle	Input Voltage (VAC)	CRI	Lamp Size (mm)	Cutout (mm)
NN-IP44-35	3W	255lm	Lifud LTECH	CREE	2700K	15°	220-240	Ra>90	D39*H78	<u>D35</u>
NN-IP44-45	5W	415lm	Tridonic	Bridgelux	3000K	24°		Ra>97	D50*H80	<u>D45</u>
NN-IP65-55	10W	850lm	Philips	CITIZEN	3500K	36°			D64*H88	<u>D55</u>
NN-IP44-55	12W	1020lm	Osram	Osram	4000K	55°			D64*H115	<u>D55</u>
NN-IP65-75	10W	850lm	EUCHIPS	Philips	5000K				D84*H98	<u>D75</u>
NN-IP44-75	18W	1550lm	AIDIMMING	Honourtek	5700K				D84*H124	<u>D75</u>
NN-IP65-95	18W	1550lm	Sunricher		6000K				D104*H116	<u>D95</u>
NN-IP44-95	25W	2125lm	Waterproof Driver		6500K				D104*H143	<u>D95</u>



WeiYe Optoelectronic Technology Co., Ltd.

<https://www.lhwyled.com> <https://lhwyled.en.alibaba.com>

sales@lhwyled.com / Whatsapp +86 13480740318 / Wechat: sales_lhwyled

Economic Type

Full White/Black LED Spotlight Fixed

High Quality Arc Face Aluminum



Parameters

Model No.	Power	Lamp Lumen (lm)	Driver Brand	LED Style	CCT (K)	Beam Angle	Input Voltage (VAC)	CRI	Lamp Size (mm)	Cutout (mm)
OX-1-45-5W	5W	425lm	Lifud	CREE	2700K	15°	220-240	Ra>90 Ra>97	D52*H52	<u>D45</u>
OX-1-55-7W	7W	595lm	Eaglerise	Bridgelux	3000K	24°			D62*H55	<u>D55</u>
OX-1-65-10W	10W	850lm	LTECH	CITIZEN	3500K	36°			D72*H58	<u>D65</u>
OX-1-75-12W	12W	1020lm	Tridonic	Osram	4000K	50°			D82*H60	<u>D75</u>
OX-1-95-20W	20W	1750lm	Philips	Philips	5000K				D102*H65	<u>D95</u>
OX-1-95-30W	30W	2550lm	Osram	Honourtek	5700K				D102*H78	<u>D95</u>
OX-1-95-30W	30W	2550lm	EUCHIPS		6000K					
OX-1-125-40W	40W	3400lm	AIDIMMING Sunricher		6500K				D133*H91	<u>D125</u>



WeiYe Optoelectronic Technology Co., Ltd.

<https://www.lhwyled.com> <https://lhwyled.en.alibaba.com>

sales@lhwyled.com / Whatsapp +86 13480740318 / Wechat: sales_lhwyled

New Design Full Aluminum Mini LED Spotlight Fixed/Tilttable High Lumen/Trimless/Mini Hole Trim High Quality & Arc Face & Full Power





Parameters

Model No.	Power	Lamp Lumen (lm)	Driver Brand	LED Style	CCT (K)	Beam Angle	Input Voltage (VAC)	CRI	Lamp Size (mm)	Cutout (mm)
XJL-35-3W	3W	255lm	Lifud	CREE	2700K	15°	220-240	Ra>90 Ra>97	D38*H53	D35
XJL-35-5W	5W	425lm	Eaglerise	Bridgelux	3000K	24°			D38*H76	D35
XJL-35-7W	7W	595lm	LTECH	CITIZEN	3500K	36°			D38*H95	D35
XJL-40-5W	5W	425lm	Tridonic	Osram	4000K	50°			D45*H58	D40
XJL-40-7W	7W	595lm	Philips	Philips	5000K				D45*H80	D40
XJL-40-10W	10W	850lm	Osram	Honourtek	5700K				D45*H106	D40
XJL-50-7W	7W	595lm	EUCHIPS		6000K				D55*H63	D50
XJL-50-10W	10W	850lm	AIDIMMING		6500K				D55*H86	D50
XJL-50-15W	15W	1350lm	Sunricher						D55*H111	D50
XJL-60-8W	8W	680lm							D65*H65	D60
XJL-60-15W	15W	1275lm							D65*H85	D60
XJL-60-20W	20W	1700lm							D65*H105	D60





WeiYe Optoelectronic Technology Co., Ltd.

<https://www.lhwyled.com> <https://lhwyled.en.alibaba.com>

sales@lhwyled.com / Whatsapp +86 13480740318 / Wechat: sales_lhwyled

New Design High Class Economic Price Anti-glare SMD Downlight



Features:

Special Heat Sink; Angt glare UGR<22, Reflector Color: White/Black/Black Chrome/Chrome

Dimmable Options: Triac / 0-10V / Phase Dim/ DALI 2 DIM/CCT Tunable/Zigbee Smart/Push DIM;



WeiYe Optoelectronic Technology Co., Ltd.

<https://www.lhwyled.com> <https://lhwyled.en.alibaba.com>

sales@lhwyled.com / Whatsapp +86 13480740318 / Wechat: sales_lhwyled



Parameters:

Model No.	Power	Lamp Lumen (lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Input Voltage (VAC)	CRI	Lamp Size (mm)	Cutout (mm)
PZ-SMD-75	10W	900lm	Lifud Eaglerise LTECH Tridonic Philips Osram EUCHIPS AIDIMMING Sunricher	Osram SMD2835	2700K 3000K 3500K 4000K 5000K 5700K 6500K	60°	220-240	Ra>90 Ra>95	φ85*H48	φ75
PZ-SMD-95	15W	1455lm							φ105*H59	φ95
PZ-SMD-120	20W	1800lm							φ130*H62	φ120
PZ-SMD-140	30W	2705lm							φ155*H62	φ140
PZ-SMD-160	40W	3630lm							φ175*H62	φ160



WeiYe Optoelectronic Technology Co., Ltd.

<https://www.lhwyled.com> <https://lhwyled.en.alibaba.com>

sales@lhwyled.com / Whatsapp +86 13480740318 / Wechat: sales_lhwyled

Fixed Type

Round & Square & Surface Mounted & Double Heads

White or Black





WeiYe Optoelectronic Technology Co., Ltd.

<https://www.lhwyled.com> <https://lhwyled.en.alibaba.com>

sales@lhwyled.com / Whatsapp +86 13480740318 / Wechat: sales_lhwyled

Specifications

Model No.	Power	Lamp Lumen (lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Input Voltage (VAC)	CRI	Lamp Size (mm)	Cutout (mm)
JS-55Y	7W	550lm	Lifud Philips Tridonic Osram	CREE Citizen Osram BridgeLux	2700K 3000K 3500K 4000K 5000K 5700K 6500K	15° 24° 38°	220-240	Ra>90 Ra>95	φ62.5*H51	φ55
JS-75Y	12W	1050lm							φ85*H59	φ75
JS-95Y	20W	1750lm							φ105*H73	φ95
JS-55F	7W	550lm							62.5*62.5*H51	55*55
JS-75F	12W	1050lm							85*85*H59	75*75
JS-95F	20W	1750lm							105*105*H73	95*95
JS-55-2F	2*7W	2*550lm							L118.5*W62.5*H51	110*55
JS-75-2F	2*12W	2*1050lm							L162.5*W85*H59	150*75
JS-95-2F	2*20W	2*1750lm							L201.2*W105*H73	190*95
JS-75Y-MZ	12W	1050lm							D72*H78	
JS-95Y-MZ	20W	1750lm							D94*H95	
JS-75F-MZ	12W	1050lm							72.5*72.5*H78	
JS-95F-MZ	20W	1750lm							91*91*H95	



WeiYe Optoelectronic Technology Co., Ltd.

<https://www.lhwyled.com> <https://lhwyled.en.alibaba.com>

sales@lhwyled.com / Whatsapp +86 13480740318 / Wechat: sales_lhwyled

Hot Sale/Promotion/Economic

No Light Leakage & Different Spring Clips

Different Color of Heat Sink & Different Colors of Reflector





WeiYe Optoelectronic Technology Co., Ltd.

<https://www.lhwyled.com> <https://lhwyled.en.alibaba.com>

sales@lhwyled.com / Whatsapp +86 13480740318 / Wechat: sales_lhwyled

Specifications:

Model No.	Power	Lumen (lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
SBKD-55-5W	5-7W	600lm	Lifud Philips Tridonic Osram	CREE Citizen Philips Osram	2700K	15° 24° 38° 55°	>0.90	Ra>90 Ra>95	D64*H76	φ55
SBKD-75-10W	10W	810lm			3000K				D84*H50	φ75
SBKD-75-15W	15W	1350lm			3500K				D84*H101	φ75
SBKD-95-20W	20W	1700lm			4000K				D104*H03	φ95
SBKD-95-25W	25W	2200lm			5000K				D104*H113	φ95
					5700K					
					6500K					

Super Slim Fixed LED Spotlight



2. Model No. LD

Certificates: CE EMC LVD Approval

Features: Beam angle: 15/24/38/55°, Lens, New Design;
Antiglare ; White/Black Trime + Silver Heat Sink

Material: Die-cast Aluminum + Lens;

Dimmable Options: [Triac / 0-10V / 1-10V /](#) [DALI DIM/Tuya Zigbee Smart Dimming/CCT Tunable;](#)

Model No.	Power	Lumen (lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
LD-55-5W	5-7W	600lm	Lifud Philips Tridonic Osram	CREE Citizen Philips Osram	2700K	15° 24° 38° 55°	>0.90	Ra>90 Ra>95	D60*H42	φ55
LD-75-10W	10W	850lm			3000K				D80*H50	φ75
LD-95-20W	20W	1700lm			3500K				D100*H62	φ95
					4000K					
					5000K					



WeiYe Optoelectronic Technology Co., Ltd.

<https://www.lhwyled.com> <https://lhwyled.en.alibaba.com>

sales@lhwyled.com / Whatsapp +86 13480740318 / Wechat: sales_lhwyled

LED Spotlight Adjustable



3. Model No. MB

Fixtures: Deep Anti-glare , Reflector or Lens ;

Adjustable, Black Chrome Antiglare $UGR < 19$;

Dimmable Options: Triac / 0-10V / 1-10V / / DALI DIM/Tuya Zigbee Smart Dimming/CCT Tunable;

Certificates: CE EMC LVD Approval

Material: Die-cast Aluminum;

Model No.	Power	Lumen (lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
MB-75	10W	850lm	Philips Tridonic Osram LiFud	CREE Citizen Osram	2700K	15°	>0.90	Ra>90 Ra>95	φ85*H80	φ75
MB-95	15-20W	1350lm			3000K	24°			φ104*H108	φ95
MB-125	25-30W	2200lm			3500K	38°			Ø132*H127	Ø125
					4000K					
			5000K							
				5700K						
				6500K						




WeiYe Optoelectronic Technology Co., Ltd.

<https://www.lhwyled.com> <https://lhwyled.en.alibaba.com>

sales@lhwyled.com / Whatsapp +86 13480740318 / Wechat: sales_lhwyled

Economic Low Price LED COB Downlight



4. Model No. LF

Features: Beam angle: 24/36/60° , Lens;

Material: Die-cast Aluminum+Lens;

Anti glare Reflector Colors: Matt Black, Matt White, Shiny Silver, Matt Silver, Black Chrome, ;

Certificates: CE EMC LVD Approval

Dimmable Options: [Triac](#) / [0-10V](#) / [1-10V](#) / [DALI DIM](#) / [Tuya Zigbee Smart Dimming](#) / [CCT Tunable](#); ;

Model No.	Power	Lumen (lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Input Voltage (VAC)	CRI	Size(mm)	Cutout(mm)
LF-75-2.5F	7W	560lm	LiFud Philips Tridonic Osram	CREE CXA1304 CREE Citizen Osram Bridgelux	2700K 3000K 3500K 4000K 5000K 5700K 6500K	24°	220-240	Ra>90	φ85*H55	φ75
LF-75-2.5F	10W	850lm				36°	220-240 100-240	Ra>90 Ra>95	φ85*H55	φ75
LF-90-3F	15W	1300lm				60°				
LF-135-4F	20W	1600lm							φ110*H67	φ95
LF-135-4F	25W	2200lm							φ135*H81	φ125
LF-160-5F	30W	2500lm							φ135*H81	φ125
LF-185-5F	45W	3825lm							φ160*H96	φ140
LF-215-8F	55W	4650lm							φ185*H109	φ160
									φ215*H130	φ190



WeiYe Optoelectronic Technology Co., Ltd.

<https://www.lhwyled.com> <https://lhwyled.en.alibaba.com>

sales@lhwyled.com / Whatsapp +86 13480740318 / Wechat: sales_lhwyled

Mini Surface Mounted Light

10W to 30W



20. Model No. MZ

Product Feature: Fixed

Reflector Color: Matt White, Matt Black, Black Chrome, Shiny Silver, Matt Silver;

Finis Color: White/ Black;

Material: Die-cast Aluminum Alloy + Lens + Honeycomb;

Certificates: CE EMC LVD Approval

Model No.	Power	Lumen (lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Input Voltage	CRI	Size(mm)	Height (mm)
MZ-10W	10W	800lm	Coie Mini Interlial Driver	CREE Citizen Bridgelux	2700K	12°	220-240 VAC	Ra>90	D75	H90
MZ-18W	18W	1600lm			3000K	24°		Ra>95	D91	H112
					3500K	38°				
					4000K	55°				
MZ-30W	30W	2400lm			5000K				D128	H137
					5700K					
					6500K					



WeiYe Optoelectronic Technology Co., Ltd.

<https://www.lhwyled.com> <https://lhwyled.en.alibaba.com>

sales@lhwyled.com / Whatsapp +86 13480740318 / Wechat: sales_lhwyled

Waterproof IP65 Surface Mounted Light

10W to 30W (Round & Square)



5. Model No. XWS

Product Feature: Fixed & Anti glare & Surface Mounted & IP65

Reflector Color: Matt White, Matt Black, Black Chrome, Shiny Silver, Matt Silver;

Finis Color: White/ Black;

Material: Die-cast Aluminum Alloy + Waterproof IP65 Lens;

Certificates: CE EMC LVD Approval

Dimmable Options: Push Dim/ Triac / 0-10V / 1-10V/ DALI DIM/Tuya Zigbee Smart Dimming/CCT Tunable;

Model No.	Power	Lumen (lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Input Voltage	CRI	Size(mm)	Height (mm)
XWS-80	10W	800lm	Water Proof IP65 Coie LED Driver	CREE Citizen Bridgelux Osram Philips	2700K 3000K 4000K 5000K	24° 36°	220-240 VAC	Ra>90 Ra>95	D80	H90
XWS-100	15W	1300lm							D100	H100
XWS-130	20W	1750lm							D130	H130
XWS-150	30W	2550lm							D150	H140
XWSQ-80	10W	800lm							80*80	H83
XWSQ-100	15W	1300lm							100*100	H96
XWSQ-130	20W	1750lm							130*130	H121
XWSQ-150	30W	2550lm							150*150	H136




WeiYe Optoelectronic Technology Co., Ltd.

<https://www.lhwyled.com> <https://lhwyled.en.alibaba.com>

sales@lhwyled.com / Whatsapp +86 13480740318 / Wechat: sales_lhwyled

Waterproof IP65 LED Downlight

Round & Square



6. Model No. XWR Waterproof

Features: Beam angle: 24/36°, Optical Waterproof Lens, New Design;

Material: Die-cast Aluminum+Lens;

Anti glare Reflector Colors: Matt White, Matt Black, Black Chrome, Shiny Silver, Matt Silver;

Certificates: CE EMC LVD Approval

Dimmable Options: Push Dim/ Triac / 0-10V / 1-10V/ DALI DIM/Tuya Zigbee Smart Dimming/CCT Tunable;

Model No.	Power	Lumen (lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Input Voltage (VAC)	CRI	Size(mm)	Cutout (mm)
XWR-75	10W	850lm	IP67 Waterproof LED Driver	CREE	2700K	24°	220-240V	Ra>90 Ra>95	φ83*H65	φ75
XWR-95	15W	1350lm		Citizen	3000K	36°			φ103*H70	φ95
XWR-125	20W	1750lm		Osram	3500K				φ132*H75	φ125
XWR-145	30W	2550lm		Philips	4000K				φ160*H80	φ145
XWS2-75	10W	850lm		Bridgelux	5000K				90*90*H60	75*75
XWS2-95	15W	1350lm							110*110*H70	95*95
XWS2-125	20W	1750lm							145*145*H75	125*125
XWS2-145	30W	2550lm							165*165*H85	145*145




WeiYe Optoelectronic Technology Co., Ltd.

<https://www.lhwyled.com> <https://lhwyled.en.alibaba.com>

sales@lhwyled.com / Whatsapp +86 13480740318 / Wechat: sales_lhwyled

Project Big Power High Quality 10W-70W LED Downlight

Adjustable & Different Reflectors



7. Model No. QL3 Antiglare Spot Downlight Adjustable

Certificates: CE EMC LVD Approval

Reflector Colors: Matt White, Matt Black, Black Chrome, Shiny Silver, Matt Silver

Material: Heavy Thick Die-cast Aluminum+Lens;

Model No.	Power	Lumen (lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
QL3-75-1	10W	850lm	Philips Lifud Osram Tridonic	CREE Citizen Osram Bridgelux Philips	2700K	15°	>0.90	Ra>90 Ra>95	φ100*H110	φ75-90
QL3-75-2	15W	1360lm			3000K	24°			φ100*H110	φ75-90
QL3-95-1	30W	2550lm			3500K	36°			φ125*H125	φ95-110
QL3-95-2	40W	3200lm			4000K	50°			φ125*H125	φ95-110
QL3-125-1	50W	4200lm			5000K				φ160*H160	φ125-150
QL3-125-2	60W	4900lm			5700K				φ160*H160	φ125-150
QL3-165-1	70W	5700lm			6500K				φ210*H190	φ165-190
QL3-165-2	80W	7300lm							φ210*H190	φ165-190



WeiYe Optoelectronic Technology Co., Ltd.

<https://www.lhwyled.com> <https://lhwyled.en.alibaba.com>

sales@lhwyled.com / Whatsapp +86 13480740318 / Wechat: sales_lhwyled

Project Big Power High Quality 10W-80W LED Downlight

A-Fixed & B-Adjustable



8. **Model No.** TD057A- Fixed Downlight & TD057B- Adjustable Downlight

Certificates: CE EMC LVD Approval

IP44 LED Downlight Fixed or Adjustable 10W to 70W

Material: Die-cast Aluminum+ Alu Reflector + Full Transparent PC Cover;

Model No.	Power	Lumen (lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size(mm)	Cutout(mm)
TD057A-3F	7W	600lm	Philips Lifud Osram Tridonic	CREE Citizen Osram Bridgelux Philips	2700K 3000K 3500K 4000K 5000K 5700K 6500K	15°	>0.90	Ra>90 Ra>95	φ95*H102	φ75
TD057A-3F	10W	860lm				24°			φ95*H102	φ75
TD057A-3.5F	15W	1350lm				36°			φ115*H116	φ95
TD057A-5F	20-25W	2200lm				24°			φ142*H131	φ125
TD057A-5.5F	30-35W	3200lm				40°			φ160*H133	φ140
TD057A-5.5F	40-50W	4500lm				60°			φ160*H153	φ140
TD057A-6F	60W	5400lm				24°			φ185*H156	φ160
TD057A-8F	60-80W	6000lm				60°			φ230*H176	φ200



WeiYe Optoelectronic Technology Co., Ltd.

<https://www.lhwyled.com> <https://lhwyled.en.alibaba.com>

sales@lhwyled.com / Whatsapp +86 13480740318 / Wechat: sales_lhwyled

LED Spotlight

Fixed-A, Adjustable-B



- 10. Model No.** WHA-Fixed, WHB-Adjustable
 Reflector color: Matt White/Black;
Features: Adjustable/Fixed; Honeycomb Cover Available
Certificates: CE EMC LVD Approval
Material: Die-cast Aluminum + Reflector; **UGR<19**

Model No.	Power	Lumen (lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Power Factor	CRI	Size (mm)	Cutout (mm)
WHA-7W	7W	550lm	Lifud	CREE	2700K	24°	>0.90	Ra>90	D65*H60	D55
WHA-12W	12W	1050lm	Philips	Citizen	3000K	38°		Ra>97	D85*H76	D75
WHA-20W	20W	1750lm	TRODINIC	Osram	3500K	15°			D105*H108	D95
WHB-7W	7W		Osram	Bridgelux	4000K				D65*H79	D55
WHB-10W	12W			Philips	5000K				D94*H64	D80
WHB-20W	20W								D109*H85	D95




WeiYe Optoelectronic Technology Co., Ltd.

<https://www.lhwyled.com> <https://lhwyled.en.alibaba.com>

sales@lhwyled.com / Whatsapp +86 13480740318 / Wechat: sales_lhwyled

1/2/3/4 Heads Fixed Downlight(With Honeycomb)



17. Model No. TH-108

Fixed LED Downlight 1/2/3/4 Heads;

Material: Die-cast Aluminum+Clear PC Cover+Honeycomb;

Finish Color Options: Full White/Full Black/White+Black;

Dimmable Options: Triac / 0-10V / DALI ;

Dimmer: Touch Screen Dimmer / Rotatable Dimmer;

Dimmable Options: Triac / 0-10V / 1-10V/ DALI DIM/Tuya Zigbee Smart Dimming/CCT Tunable;

Model No.	Power	Lumen (lm)	Driver Brand	LED Style	CCT(K)	Beam Angle	Input Voltage (VAC)	CRI	Size(mm)	Cutout(mm)
TH-108-2F	6W	500lm	Lifud Brand Philips Tridonic Osram LTECH Sunricher	CREE Citizen Osram Bridgelux Philips	2700K 3000K 3500K 4000K 5000K 6500K	15° 24° 38°	220-240 100-240	Ra>90 Ra>95	65*65*H53	55*55
TH-108-3F	10W	850lm							85*85*H62	75*75
TH-108-4F	15W	1350lm							105*105*H77	95*95
TH-108-2-2F	2*6W	2*500lm							126*65*H53	115*55
TH-108-2-3F	2*10W	2*850lm							167*85*H62	160*75
TH-108-2-4F	2*15W	2*1350lm							208*105*H77	195*95
TH-108-3-2F	3*6W	3*500lm							182*65*H53	175*55
TH-108-3-3F	3*10W	3*850lm							252*85*H62	240*75
TH-108-4-2F	4*6W	4*500lm							126*126*H53	115*115
TH-108-4-3F	4*10W	4*850lm							165*165*H62	155*155